

The CalSim Solvers



Presenter: Hamed Zamanisabzi

Collaborators:

Zachary Roy zachary.roy@water.ca.gov

Yiwei Cheng yiwei.cheng@water.ca.gov

Nazrul Islam nazrul.islam@water.ca.gov

Nicky Sandhu prabhjot.sandhu@water.ca.gov

Raymond Hoang Raymond.Hoang@water.ca.gov



Outline

- Introduction on Linear Programming (LP) and Mixed Integer Linear Programming (MILP) models
- Objective: why Solvers in CalSim3
 - Generic Form of LP problems
 - LP applications within CalSim 3
- Motivation for Investigating Gurobi, XA, and CBC Solvers in CalSim Studies
- Results and Summary



Introduction to Linear Programming

- Solves optimization problems with linear constraints and objectives
- Used in engineering, operations research, and Water Resources Planning
- Efficient for large-scale problems with thousands of variables
- Applications: resource allocation, scheduling, system optimization



Objective: why Solvers in CalSim3

- WRIMS supports multiple Mixed-Integer Programming (MIP) solvers.
- This expansion is critical for accuracy performance while enhancing the computational performance, and flexibility of CalSim planning scenarios.
- Adding more solvers boost transparency and providing better insight into model results.



Example:

$$\text{Max } Z = 2 X_1 + 3 X_2 \leftarrow \text{Objective function}$$

Subject to:

$$X_1 + 2 X_2 \leq 10$$

$$X_1 \leq 6$$


$$X_2 \leq 4$$

$$X_1 \geq 0$$

$$X_2 \geq 0$$

Optimal Solution:

- $X_1 = 6, X_2 = 2$
- **Maximum $Z = 18$**



| Point | X_1 | X_2 | $Z = 2X_1 + 3X_2$ |
|-------|-------|-------|-------------------|
| A | 0 | 0 | 0 |
| B | 6 | 0 | 12 |
| C | 6 | 2 | $12 + 6 = 18$ |
| D | 2 | 4 | $4 + 12 = 16$ |
| E | 0 | 4 | $0 + 12 = 12$ |



LP application within CalSim 3

➤ Decision Variables

Flows through system during a particular time step

Storage at end of the time step

➤ Constraint Set

Mass balance at system nodes


Upper and lower bound constraints and regulatory requirements

➤ Objective function

Priorities (weights) based on cost coefficient




How do we translate WRESL to LP



WRESL = **W**ater **R**Esources **S**imulation
Language
WRIMS = **W**ater **R**esources **I**ntegrated
Modeling **S**ystem
LP = **L**inear **P**rogramming
DSS = **D**ata **S**torage **S**ystem
IDE = **I**ntegrated **d**evelopment
Environment



A Simple Network within CalSim for LP Formulation



Maximize:

*Objective Function =
 $F(\text{Diversions}, \dots)$*

Subject to constraints:

Regulatory Constraints

\vdots


Mass Balance Hard Constraints

$$(\Delta S = \sum I_i - \sum O_i)$$

$$x_1, x_2, \dots, x_n \geq 0$$



LP for CalSim 3 – Decision and State Variables, Constraints, and Objective Function Formulation



Defining a 390 TAF reservoir with Deadpool at 10 TAF:

```
define S_SFLAKE      {std kind 'STORAGE' units 'TAF'}

define S_SFLAKE_level1 {value 10}
define S_SFLAKE_level2 {value 390.0}

define S_SFLAKE_1  {std kind 'STORAGE-ZONE' units 'TAF'}
define S_SFLAKE_2  {std kind 'STORAGE-ZONE' units 'TAF'}
```

Defining channel segments with the capacity of 1000 cfs:

```
define C_SFLAKE {upper 1000 kind 'CHANNEL' units 'CFS'}
define C_SFR1  {upper 1000 kind 'CHANNEL' units 'CFS'}
define C_SFR2  {upper 1000 kind 'CHANNEL' units 'CFS'}
define C_SFR3  {upper 1000 kind 'CHANNEL' units 'CFS'}
```

Define two Diversions off the Springfield River:


```
define D_SFR2_FARM      {std kind 'DIVERSION' units 'CFS'}
define D_SFR3_POWERPLANT {std kind 'DIVERSION' units 'CFS'}
```

*Define two demands whose values are input **timeseries**. The demands are in Thousand Acre-Feet, so convert them to CFS.*

```
define AW_FARM      {timeseries kind 'APPLIED-WATER' units 'TAF' convert 'CFS'}
define UD_POWERPLANT {timeseries kind 'URBAN-DEMAND' units 'TAF' convert 'CFS'}
```



LP for CalSim 3 – Decision and State Variables, Constraints, and Objective Function Formulation



Constraints: Mass Balance and Diversion Limitations

```
goal continuity_SFLAKE {I_SFLAKE - C_SFLAKE = S_SFLAKE * taf_cfs - S_SFLAKE(-1) * taf_cfs}
goal continuity_SFR2  {C_SFR1 - C_SFR2 - D_SFR2_FARM = 0}
goal continuity_SFR1  {C_SFLAKE - C_SFR1 = 0}
```

Note: Some other regulatory constraints also would be applied.

```
goal continuity_SFR2  {C_SFLAKE = C_SFLAKE_MIF + C_SFLAKE_ADD}
goal constrain_for_MIF {C_SFLAKE_MIF < MIF_FROM_LOOKUP_TABLE}
```

```
goal constrain_D_SFR2_FARM      {D_SFR2_FARM < AW_FARM}
goal constrain_D_SFR3_POWERPLANT {D_SFR3_POWERPLANT < UD_POWERPLANT}
```

Objective Function:

Note: 1000 and 2000 are the weights of the decision variables within the Objective Function

```
Objective obj_SYS = {...
[D_SFR2_FARM, 1000],
[D_SFR3_POWERPLANT, 2000],
[C_SFLAKE_MIF, 1500]
...}
```



Simulated LP Model for the Example within the CalSim

\ Date: 2021.09\ Cycle: 01\ Solver: CBC\ objective function

Maximize

+ 1500.0 c_sflake_mif
+ 1000.0 d_sfr2_farm
+ 2000.0 d_sfr3_powerplant
+ 3361111.111333334 s_sflake_1
+ 5041.666667 s_sflake_2

\ constraint

Subject To

constrain_c_sflake_mif: + c_sflake_mif <= 0
constrain_d_sfr2_farm: + d_sfr2_farm <= 10.786869120979885
constrain_d_sfr3_powerplant: + d_sfr3_powerplant <= 16.80555555666667
continuity_sflake: - c_sflake -16.80555555666667 s_sflake = -5435.042064741771
continuity_sfr1: + c_sflake - c_sfr1 = 0
continuity_sfr2: + c_sfr1 - c_sfr2 - d_sfr2_farm = 0
continuity_sfr3: + c_sfr2 - c_sfr3 - d_sfr3_powerplant = 0
s_sflake_zone1: + s_sflake_1 <= 10.0
s_sflake_zone2: + s_sflake_2 <= 390.0
split_c_sflake: + c_sflake - c_sflake_add - c_sflake_mif = 0
storage_sflake: + s_sflake - s_sflake_1 - s_sflake_2 = 0

\dvar

Bounds

c_sflake <= 1000.0
c_sfr1 <= 1000.0
c_sfr2 <= 1000.0
c_sfr3 <= 1000.0 End

\ objective value: 3.522732731891689E7



CALIFORNIA DEPARTMENT OF

WATER RESOURCES

LP sample model within CalSim CalSim 3

| | | | | |
|----------------|--|--------------------|---------|--------|
| 1921_11_c36.lp | | 1/13/2025 11:10 AM | LP File | 662 KB |
| 1921_11_c37.lp | | 1/13/2025 11:10 AM | LP File | 663 KB |
| 1921_11_c38.lp | | 1/13/2025 11:10 AM | LP File | 760 KB |

\ objective function

```
Maximize
+ 0.1 aprmaybanksctrl
+ 0.1 aprmayexpctrl
+ 0.1 aprmaytracyctrl
-2.0 buy_cbd028_08s_pa
-2.0 buy_cbd049_08n_pa
-2.0 buy_ccl005_04_pa1
-2.0 buy_gcc065_08s_pa
-2.0 buy_klr005_21_pa
```

...

...

```
3159 -5.0 surplus_share_d_mlrtn_mdcf_1
3160 -1.0 surplus_shrr_20_nul_1
3161 -10.0 surplus_splitd_wtpbwm_24_nul_11
3162 -500.0 surplus_stonygorgeblackbutte_layer2_1
3163 -500.0 surplus_stonygorgeblackbutte_layer3_1
3164 -500.0 surplus_stonygorgeblackbutte_layer4_1
3165 -500.0 surplus_stonygorgeblackbutte_layer5_1
3166 -9999.0 surplus_zerowts_yubagwshort_1
3167 -1285.0 unused_fs
3168 -1285.0 unused_ss
3169 -1285.0 wts_yuba_stgl_cvp
```

\ constraint

```
3171 \ constraint
3172 subject to
3173 actbsflow: -0.73071 sac188in_1 + sp_sac188_btc003 = 0
3174 actcwflow: + 0.4942 sac148in_0 -0.4942 sac148in_2 -0.5718 sac148in_3 + sp_sac148_btc003 = 0
3175 acteoflow: -0.73071 sac178in_1 + sp_sac178_btc003 = 0
3176 actmwflow: + 0.1239 sac159in_0 -0.1239 sac159in_2 -0.1621 sac159in_3 + sp_sac159_btc003 = 0
3177 acttwflow: -0.75177 sac122in_1a + sp_sac122_sbp021 = 0
```

...

...

```
13877 int_sac_below
13878 int_sjr205
13879 int_sluis_swp_full
13880 int_tp_fill
13881 int_tweir
13882 int_tweir0
13883 int_tweir1
13884 int_tweir2
13885 int_unknown
13886 int_whs_stor_chg
13887 intsjrdiversion
13888
13889 End
13890
13891
13892
13893
13894 \ objective value: 1.936346063115258E10
13895
```

13894 \ objective value: 1.936346063115258E10



Motivation for Investigating Gurobi, XA, and CBC Solvers in CalSim Studies

- **Computational Performance, Accuracy Performance**
- **Cost vs. Capability**
- **Solver Features**
- **CBC Enhancement**
- **WRIMS Compatibility and Transparency**
- **Scenario Robustness**
- **Licensing & Deployment**



CBC Solver (Open-source MILP solver, part of the COIN-OR project)

Advantages:

- Robustness
- License free and open-source
- Often used in CalSim for cost-effective deployment
- Can utilize the Pre-solve approach to foster the solving strategy

Limitations:

- Slower on large models
- Needs efficient handling of unstable or degenerate problems.



XA Solver

- Uses Simplex as core algorithm
- Long-used in WRIMS/CalSim by some state agencies
- Limited community support and licensing cost

Gurobi Solver


- Uses Primal/Dual Simplex; optimized for LPs & MILPs
- Fast, robust, and ideal for large or sparse CalSim models
- Integrates with WRIMS via Java (e.g., jGurobi)
- License required (free for academics)



Computational Time Performance Comparison (applied to Calvin model)

- Differences get bigger as model size increases
- cplex and gurobi have similar total calculation time

| # of decision variables | output file size (json) |
|-------------------------|-------------------------|
| 35,827 | ~7.5 MB |
| 1,430,915 | ~300 MB |
| 2,933,335 | ~602 MB |



- Independent of CalSim; compares Gurobi, CPLEX, GLPK, and CBC.
- Gurobi outperforms CBC and others in computational time.
- Gurobi and CPLEX show similar speed and performance.
- Full-period Gurobi simulation is in progress.

https://msdogan.github.io/other/Poster_AGU2016.pdf



Some advantage of Pre-solve approach within the Gurobi leads to:

- Removes redundant constraints and empty rows/columns
- Fix variable values based on bounds
- Simplifies constraints and tightens bounds
- Detect infeasibility early

Why It Helps with Computational Time

- Reduces variables, constraints, and problem size
- Shrinks branch-and-bound tree (for MILPs)
- Speeds up solving, lowers memory use, and improves stability



Summary - Advantage and Disadvantage of Solvers and recommendations

| Solver | License | Community Support | Typical Use Case in CalSim |
|---------------|---------------------------|---|-----------------------------------|
| CBC | License Free | Active - Open Source (COIN-OR), Online Forums | Default (DWR/USBR setups) |
| Gurobi | Commercial /Free Academic | Commercial Support | In Testing Phase |
| XA | Commercial | Commercial Support | In Use- DWR/USBR setups |



Summary - Advantage and Disadvantage of Solvers and recommendations

- CBC can continue as a license free Solver (distributable within WRIMS) option and continue its improvement.
- Gurobi is already being investigated as a potential option of Solver for WRIMS along with the CBC and XA.
- Continue to investigate the Gurobi's applicability and its performance for CalSim studies
- Continue to create configuration setting platform for Gurobi to use within WRIMS for CalSim studies



References

- https://msdogan.github.io/other/Poster_AGU2016.pdf
- CalSim Workshop: Session 1: Introduction and Overview, Jan 2025
- CalSim Workshop: Session 1: Simple WRIMS Application, Jan 2025

Follow us on social media



CADWR



CA_DWR



calwater



cadepartmentofwaterresources



CALIFORNIA DEPARTMENT OF
WATER RESOURCES



- BUREAU OF -
RECLAMATION